

APOLLO AIP-21.5DSK TOUCH ENROLLMENT KIOSK

Model: AIP-21.5DSK

Generated On: June 01, 2026

Key Features

- 21.5-inch Full HD portrait display (1080 × 1920 resolution)
- ?300 cd/m² brightness for clear visibility
- Ultra-wide 178° viewing angle (89/89/89/89)
- E-LED backlight for stable and efficient performance
- 16.7M color depth (8-bit) for natural visuals
- 60Hz refresh rate with RGB vertical stripe structure

Technical Specifications

21.5" KIOSK ENROLLMENT SYSTEM SPECIFICATIONS

LCD Specification	New original factory original package LCD commercial liquid crystal display
Display Size	21.5 inches
Display Area	268 * 476.5mm
Resolution Ratio	1080 * 1920
View Angle	89 / 89 / 89 / 89 (Left/Right/Top/Down)
Luminance	?300cd/m2
Backlight Type	E-LED
Color Saturation	16.7M (8-bit)
Service Frequency	60HZ

21.5" KIOSK ENROLLMENT SYSTEM SPECIFICATIONS

Pixel Arrangement	RGB vertical strip packaging
Touch Control Scheme	G+G electric capacity
Drive Mode	HID is driver-free
Touch Point Count	Touch at 10 o'clock
Touch Medium	Finger or capacitive stylus
Touch Accuracy	?2mm
Number of Touches	Theoretically unlimited touches
Response Time	<8ms
Touch Calibration	Software
Touch Interface	Armoured glass
Small Ticket Barcode Printer	Thermal printing, 3-inch self-service terminal device; Built-in paper roll; Supports 80mm outer diameter paper roll; 203dpi resolution; Photoelectric paper shortage/block detection.
CPU	Intel® Core™ i5-10400 processor
RAM (Memory)	8GB
Storage	256GB SSD
System Version	Windows 10 / Windows 7
Pre-installed Software	Support third-party applications
Network Communication	Ethernet, Wi-Fi
System Interface	USB port *2, RJ45 *1

21.5" KIOSK ENROLLMENT SYSTEM SPECIFICATIONS

Audio Output	8? 5W * 2
Mouse and Keyboard	Support wired/wireless mouse and keyboard
Configuration Note	System configuration can be replaced with higher configuration versions.
Body Color	White baked paint
Armoured Glass	3mm thick high strength physical tempered glass
Body Size	Standard for 21.5" model
Stent Size	Standard for 21.5" model
Packing Measurement	Standard Neutral Carton Dimensions
Packaging Material	Gravity neutral carton
Net/Gross Weight	Standard configuration weight
Usage Scenario	Indoor
Input Voltage	AC110-220V
Startup Power	?45W
Standby Power	?1W
Service Environment	Temperature: -10?~40? / Humidity: 10%RH~90%RH
Storage Environment	Temperature: -10?~55? / Humidity: 10%RH~90%RH
Accessories	Complete machine *1, Power cord *1, Keys *2, WIFI stick