

APOLLO AIP-43FDK FLOOR STAND DIGITAL KIOSK & PORTABLE DIGITAL SIGNAGE DISPLAY

Model: AIP-43FDK

Generated On: October 13, 2026

Key Features

- 43-inch Full HD vertical display (1080 × 1920, 9:16 portrait mode)
- Commercial-grade E-LED panel for stable performance
- ?300 cd/m² brightness for clear indoor visibility
- Wide 178° viewing angle for audience visibility
- 16.7M colors (8-bit) for natural image output
- Android 9.0 built-in smart operating system
- Quad-core Cortex-A53 processor (1GHz)
- 1GB RAM + 8GB internal storage
- Supports Ethernet & WiFi connectivity
- Multiple media formats supported (video, image, audio)
- Auto power ON/OFF scheduling function
- Dual 5W built-in speakers for audio output
- Strong 3mm+ explosion-proof tempered glass protection
- Durable cold-rolled steel + aluminum frame design

Technical Specifications

LCD size	43 inches
resolution ratio	1080*1920
Display area	529.4*941.2mm?H×V?
Aspe ratio	16:09
View Angle	89/89/89/89 (left/right/up/down)
luminance	?300cd/m2
Backlight type	E-LED
Coloration	16.7M?8-bit?
service frequency	60HZ

Pixel arrangement	RGB vertical bar installation
operating system	android
System version	Android 9.0
CPU	The four-core Cortex-A53 has a main frequency of 1GHz
internal storage	1GB
memory	8GB
system interface	USB port *2, RJ45 port *1, HDMI-IN port *1
Video playback	Supports wmv, avi, flv, rm, rmvb, mpeg, ts, mp4 and other formats
Image credit	Supports BMP, JPEG, PNG, GIF and other formats
internetwork communication	Support Ethernet and WIFI
Turn on and off at regular intervals	Supports custom setting of on/off time
Mouse and keyboard	Support hot plug-in
Background sound power	8?5W*2
Third-party applications	Support third-party applications
Border material	alufer
Body material	Cold rolled steel plate for hardware
armoured glass	High strength explosion-proof tempered glass with thickness of more than 3mm
Body size	603.4*1700*83mm
packing measurement	730mm*1800mm*180mm
Packaging material	Gravity cartons
Weight of the fuselage	25kg

Including packaging weight	29kg
way to install	Laid flat
usage scenario	indoor
input voltage	AC100-240V
Standby power	?1W
power rating	?62W
service environment	Temperature-10?~50?/humidity 10%RH~90%RH
Storage environment	Temperature-15?~65?/humidity 10%RH~95%RH
Accessories	One power cable, one WiFi antenna, one remote control and one certificate of conformity and wa card